

# T1S-R1E. 2<sup>nd</sup> Mer.

	8	7	7	<del>6</del>	6	7						
6	6	24	5	24	4	22	3	21	2	1	24	25
	23	23	22	21-22	21	21	21	21	21	21	21	3
5	7	23	8	22	9	20	10	20	11	19	12	3
	23	23	19-20	19-20	19	19	19	19	19	19	19	3
5	18	16	17	18	16	18	15	17	14	17	13	3
	15	16-18	16-18	16-18	16-18	16-17	16	16	16	16	16	3
4	19	13	20	15	21	14	22	14	23	14	24	3
	12	13-15	13-14	13-14	13-14	13-14	13	13	13	13	13	3
4	30	12	29	12	28	11	27	11	26	9	25	2
	10	10	12	10-11	10-11	10-11	10-11	10-11	10-11	10-11	10-11	2
4	31	10	32	9	33	9	34	9	35	8	36	2
	2	1	1	1	1	1	1	1	1	1	1	2

# T2S-R1E. 2<sup>nd</sup> Mer.

	27	27-51	27-51	27-51	27-51	27-51	28-51					
32	6	53	5	52	4	52	3	52	2	50	1	29
	47	49	52-53	51	51	50	50	42				
31	7	48	8	49	9	51	10	50	11	41	12	29
	48	47-48	48	49-50	41-42	41	41					
31	18	46	17	47	16	46	15	40	14	39	13	29
	45	45	46	46-47	47	47	40	39				
30	19	44	20	45	21	45	22	40	23	37	24	28
	45	44	44	44	42	39-40	38					
30	30	43	29	43	28	37	27	37	26	38	25	28
	35	43-44	42	37-38	37-38	37-38	36					
30	31	34	32	35	33	35	34	36	35	36	36	28
	32	33	33	33	33	33	34	34				

Township N. D. S. R. 1. E. 2. Meridian  
Indiana

West	Between Sec? N 6 & 31
8.18.	To Run 8 lks. on course N
79.50	Intersected W. Range line 73 lks. S. of N. corner - established by Mr. Buckingham found there a note which explained the measure on the Range line, with which I could not agree before. Tolerable good land Oak Timber rough
	Blazed the true line between N. 1 & 2, established post on N line, between Sec? N 1. & 2 in T. 2. which had been left 40 chs. short of the T. line, from which a Sugar tree 18 ins. dia. bears S. 40° E 20 lks & a Sugar tree 16 ins. dia. bears N 87° W 18 lks.
40.00	Established the 1/2 Sec. post on the N. Boundary of Sec. No. 6 in T. 2
	40 chs. from the N. E. corner. from which a Sugar tree 6 ins. dia. bears S 1 ch. & a Sugar tree 7 ins. dia. bears N 6° W 19 lks.
79.50.	No Range line
39.90	Established the 1/2 Sec. post of N. Boundary of Sec. No. 5 T. 2. from which a W. Oak 24 ins. dia. bears S 57° W 17 lks. & a W. Oak 15 ins. dia. bears N 53° W 35 lks.
40.05	Established 1/2 Sec. post on N. Side of Sec. No. 4 from which a Beech 6 ins. dia. bears N 80° W 14 lks. & a Beech 18 ins. dia. bears N 70° E 17 lks.
40.06	On N. Side of Sec. No. 3.
	Set 1/2 Sec. post from which a Beech 5 ins. dia. bears S 36° W 11 lks. & a Beech 6 ins. dia. bears N 33° E 11 lks.
	On N. Side of Sec. No. 2

# J. D. S. R. 1. E. of Mer. Ind.

40.00	Set the Sec. post from a Beech 16 ins. dia. bears S 55 W 21 lbs. & a Beech 7 ins. dia. bears S 56 E 4 lbs.
40.00	On N. Side of Sec. 1. Established the Sec. post at W. Oak 2 1/2 ins. dia. bears S 22 W 1 lbs. & a Sugar 5 ins. dia. bears N 10 E 20 lbs. Surveyed by Silas Bent. D. S.
North	From S. E. corner of J. D. R. 1. E. on E. R. line of Sec No. 36.
8.30	To line W. Oak 15 ins. dia.
18.50	To " Poplar 18 " "
40.00	Set the Sec. post from which a Passapras 9 ins. dia. bears S 40 E 30 lbs. & a W. Oak 30 ins. dia. bears N 80 W 29 lbs.
57.50	To Run 5 lbs. over course E.
80.00	Set post N. E. corner of Sec. No. 36 & S. E. corner of Sec. No. 25 in J. D. R. 1. E. from which a Maple 9 ins. dia. bears S 45 W 28 lbs. & a W. Oak 36 ins. dia. bears N 78 E 60 lbs. Level land from Soil Oak Timber no water
North	On E. R. Line. E. side of Sec. No. 25.
7.72	To Line B. Oak 30 ins. dia.
40.00	Set the Sec. post from which a W. Oak 20 ins. dia. bears E. 14 lbs. & a B. Oak 15 ins. dia. bears N 60 E 31 lbs.
77.26	To Stream course East
80.00	Set post N. E. cor. of Sec. No. 25 & S. E. cor. of Sec. No. 24 on E. R. line from which a Gum 20 ins. dia. bears N 30 W 46 lbs. & a W. Oak 9 ins. dia. bears S 15 E 17 lbs. Level land. Thin Soil Oak Timber
North	On E. R. line. E. Boundary of Sec. 24
13.50	Run course S. E. 5 lbs. wide
9.26	To line B. Oak 36 ins. dia.
31.15	To line Do 18 " "
40.00	Set the Sec. post from which a Gum 7 ins. dia.

## T. D. J. R. 1.E. of Mer. Ind.

52.00	bears 140 E 29 lbs. & a cherry 8 ins. dia N 75 W 20 lbs
80.00	To Run course S.E. 7 lbs. wide Set post on N.E. corner of Sec. 24 & S.E. corner of Sec. No. 13 in T.D.R. 1.E. from which a poplar 20 ins. dia. bears 185 W 33 lbs. & a Poplar 18 ins. dia. bears N 70 E. 8 lbs. Rough hills poor land. Oak Timber Sassafras & Oak W.G.
North	On E. R. line, E. side of Sec. No. 13
2.36	To line B. Oak 30 ins. dia
11.40	To line Do 20 " "
40.00	Set to Sec. post from which a Hickory 8 ins. dia bears N 70 E 21 lbs. & a Black 40 ins. dia bears S 60 W 9 lbs
80.00	Set post cor. of Sect. No. 12 & 13. on E. R. line from which a W. Oak 16 ins. dia bears N 70 E 19 lbs & a Gum 19 ins. dia. bears N 63 W 50 lbs. First 1/2 rough & poor. the rest good land. Timber Oak Hick. & Gum
North	On E. side of Sec. 12
34.23	To line W. Oak 30 ins. dia
40.00	Set to Sec. post from which a W. Oak 15 ins. dia bears N 65 E 40 lbs. & a W. Oak 24 ins. dia bears S 8 W 14 lbs.
76.20	To Run 20 lbs. wide. no water 6 lbs. E.
80.00	Set post N.E. cor. of Sec 12 & S.E. cor. of Sec 6 in T. D. R. 1.E. from which a Sugar tree 13 ins. dia. bears N 35 W 12 lbs. & a Sugar tree 20 ins. dia. bears S 60 E 44 lbs. Good land Tim. Oak Hick. & Spice W.G.
North	On R. line E. side of Sec. No. 1. in T. D. J. R. 1.E
40.00	Set to Sec. post from which a Hick. 20 ins. dia bears S 40 W 12 lbs. & a Sugar 13 ins. dia. bears N 5 E 60 lbs
66.00	To creek 60 lbs. over course S.E. supposed to be a branch of Pattonia
80.00	Set post on N.E. corner of T. D. J. R. 1.E & S.E. corner of T. 1. J. R. 1.E. & S.W. cor. of T. 1. J. R. 2.E. & N.E. cor. of T. D. J. R. 2.E. & N.E. cor. of Sec. No. 1. in T. D. J. R. 1.E



T. D. S. R. 1. E. of Mer. Ind.

	<p>S. E. corner of Sec. 36 in T. 1. S. Good Land principally bottom, Timber Sugar tree Hickory brush &amp; Oak Spice under brush. a W. Oak 15 ins. dia. bears E. 12 lbs from the Township corner &amp; a W. Oak 8 ins. dia. bears S 50 E 26 lbs.</p>
North	On East Side of Sec. No. 36. T. 2. S. R. 1. W
1.25	Do a Hickory 22 ins. dia
32.90	Do a W. Oak 16 " "
40.00	Set 1/2 Sec. post from which a W. Oak 20 ins. dia bears N 30 W 30 lbs. & a B. Oak 36 ins. dia. bears S 75 E 20.
45.10	Hickory 20 ins. dia
80.00	Set post cor. of Secs 25 & 36. T. 2. S. R. 1. W from which a W. Oak 14 ins. dia. bears S 6 W 23 lbs. & a W. Oak 12 ins. dia. bears N 20 W 32 lbs. Ridge land middling soil. Timber Oak Hickory Buck Honey & Spice
North	On East Side of Sec. 25. T. 2. S. R. 1. W.
5.50	Do a B. Oak 20 ins. dia
17.35	B. Oak 22 ins. dia
40.00	Set 1/2 Sec. post from which a B. Oak 20 ins. dia. bears N 30 W 34 lbs. & a Sugar 14 ins. dia. bears S 13 E 16 lbs.
65.00	Brook 12 lbs. wide course W.
80.00	Set post cor. of Secs 24 & 25. T. 2. S. R. 1. W. from which a Sugar tree 16 ins. dia bears N 12 W. 14 lbs & a Hickory 24 ins. dia. bears S 19 E 23 lbs. This mile Ridge Land middling soil. Timber Oak Hickory Buck some Sugar. — W. G. Dogwood.
North	On East Side of Sec. 24. T. 2. S. R. 1. W
2.00	Do a Poplar 20 ins. dia
17.80	Brook 6 lbs. wide course W.
31.90	Spring course W
35.60	Do a W. Oak 20 ins. dia
40.00	Set 1/2 Sec. post from which a Buck 10 ins. dia

# V. D. S. R. I. E. of Mer. Ind.

	bears S 61 W 14 lbs. & a Beech 10 ins. dia. bears N 40 E 24 lbs.
58.20	Creek 30 lbs. wide course W. rocky bottom
67.65	To a Beech 18 ins. dia. across bottom
80.00	Set post cor. of Sect 13 & 24. V. D. S. R. I. W. from which a Poplar 30 ins. dia. bears S 46 E 8 lbs Van Elm 16 ins. dia. bears N 11 E 9 lbs. This mile pretty good hill land Timber Beech Sugar Oak Dogwood & Spice
North	On E. Boundary of Sec. No. 13. V. D. S. R. I. W.
9.40	Brook 6 lbs. wide course S. E
30.00	Windfall
40.00	Across windfall. a Beech 14 ins. dia. for $\frac{1}{4}$ Sec. Cor. Windfall far E & W
44.60	To a Poplar 26 ins. dia
61.25	To a Do 36 " "
70.00	Brook 10 lbs. wide course N. W.
78.40	To a W. Oak 28 ins. dia
80.00	Set post cor. of Sect 12 & 13. V. D. S. R. I. W. from which a Beech 12 ins. dia. bears S 51 E 21 lbs & a Beech 7 ins. dia. bears N 11 W 16 lbs. This mile hilly. good Soil. Timber Beech Poplar Sugar some Oak Spice & Dogwood. Aug. 18. 1805.
North	On East side of Sec. 12. V. D. S. R. I. W
11.00	Creek 40 lbs. wide course S. W. rocky. bottom 10 lbs. wide
21.50	Brook 6 " " " S. E
26.64	To a Beech 10 ins. dia
38.70	To a B. Oak 20 " "
40.00	Set $\frac{1}{4}$ Sec. post. from which a W. Oak 16 ins. dia. bears N 80 E 28 & a B. Oak 12 ins. dia bears S 22 W 40 lbs.
49.20	Beech 18 ins. dia
69.50	Poplar 10 " "
80.00	Set post cor. of Sect 1 & 12 V. D. S. R. I. W. from which a Sugar tree 14 ins. dia. bears N 86 E 34 lbs.

T. D. S. R. 1. E. of Mer. Ind.

	<p>4 a Gum 15 ins. dia bears N 60 W 33 lbs. This mile ridge land middling Soil Timber Beech Sugar Poplar Gum &amp;c — Spice &amp; Dogwood</p>
North	On East Side of Sec. 1. T. D. S. R. 1. W
7.55	To a W. Oak 16 ins. dia
14.20	To a W. Oak 16 " "
40.00	Set to Sec. post from which a Beech 16 ins. dia bears S 26 W 22 lbs. 4 a Sugar tree 12 ins. dia bears N 57 W 18 lbs
51.78	To a Beech 20 ins. dia
60.00	Brook 6 lbs. wide course S. W
64.20	To a B. Walnut 22 ins. dia
77.70	To a Sugar-tree 24 " "
80.00	Set post cor. of T. 1 & 2 S. R. 1 W & T. 1 & 2 S. R. 1 E see South boundary of T. 1 S. for bearings This mile hilly, good Soil but stony Timber Beech Sugar Poplar Gum &c. Spice & Dogwood
East	<p>Sunday Aug. 18. 1805 Began line at S. W. corner of T. No 2 S. of the Base line &amp; N. W. corner of T. 3 S. of the Base line in Range No. 1. E. of the Mer. established by Mr. Buckingham</p> <p>Variation of the Needle S. 50 E.</p>
7.11	To Line Sugar tree 14 ins. dia
8.56	To " Beech 9 " "
21.50	To Run course N. 25 lbs. wide
33.00	To same Run 30 lbs. wide course S. E
40.00	Set to Sec. post from which a Beech 15 ins. dia bears S 30 E 19 lbs. 4 a Beech 12 ins. dia bears N 15 W 38
58.00	To Run course S. 50 lbs. wide
80.00	To Run " N. 60 " " Set post cor. of Sect 31 & 32 on S. Boundary of T. D. S. in the Run from which a W. Walnut 18 ins. dia bears S 15 W 25 lbs 4 a Buckeye 8 ins. dia bears N 66 E 40 lbs Rich hill Land Timber Poplar Beech Sugar

# 33

## Y. D. S. R. I. E. of Mer. Ind.

Ash & Oak. Spice Bush W. G. & fine water

East	Over Bottom
9.50	To Run 50 lbs. wide course E.
11.00	Up Run course S. of E
35.50	To Run 50 lbs. wide course <del>N. of E</del>
40.00	To Back 4 ins. dia for 1/2 Sec. just from which a sugar tree 6 ins. dia bears N 16 E 8 lbs. Aug. 18.
59.50	To Run 50 lbs. wide course North
80.00	Set post S. E. corner of Sec. 32 & S. W. corner of Sec. 33. Y. D. S. R. I. E. from which a Beech 15 ins dia. bears N 15 W. 10 lbs. & a Beech 18 ins. dia. bears S 25 E 12 lbs. Good hill land some bottom on the even Beech Timber. Spice W. G.

East	
18.10	To line Gum 12 ins. dia
40.00	Set 1/4 Sec. just from which a Beech 9 ins. dia. bears N 70 E 9 lbs. & a W. Oak 20 ins. dia. bears N 70 W 20 lbs
70.50	Down a Run bottom
80.00	Set post S. E. corner of Sec. 33 & S. W. corner of Sec. 34. Y. D. S. R. I. E. from which a Beech 30 ins. dia. bears N 67 E 43 lbs. & a Beech 7 ins. dia. bears N 54 W. 20 lbs. This last mile is good Land & level Timber Back Sugar Gum & Poplar, Spice W. G.

East	On South Side of Sec. 34 in Y. D. S. R. I. E
8.50	To a Run 50 lbs. wide course N & S
18.55	To line W. Oak 6 ins. dia
40.00	Set 1/4 Sec. just from which a W. Oak 15 ins. dia. bears S 36 W. 13 lbs. & a B. Oak 18 ins. dia bears S 48 E 16 lbs.
80.00	Set post cor. of Sect. 34 & 35 on S. Side of Y. D. S. R. I. E from which a W. Oak 15 ins. dia. bears S 75 W 33 lbs & a W. Oak 30 ins. dia. bears N 15 W 31 lbs. Thin Soil Oak Timber.



## J. D. S. R. 1. E. of Mer. Ind.

East	On S. Boundary of Sec. 35 in T. 2. S. R. 1. E.
20.00	To line N. Oak 5 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which B. Oak 20 ins. dia bears S $75^{\circ}$ E 20 lbs. & a N. Oak 15 ins. dia. bears S $55^{\circ}$ W 24 lbs.
48.50	To line N. Oak 15 ins. dia
73.20	To " Poplar 40 " "
80.00	Set post cor. of Sect 35 & 36 on Town line from which a Poplar 18 ins. dia bears N $50^{\circ}$ E 15 lbs & a Hickory 12 ins. dia. bears S $44^{\circ}$ W 50 lbs. Good level land no water Timber Oak Hickory & Poplar No undergrowth
East	On South Boundary of Sec. 36. T. 2. S. R. 1. E.
35.25	To line B. Oak 30 ins. dia
40.00	To Dogwood 5 ins. dia $\frac{1}{4}$ Sec. post from which a Hickory 24 ins. dia. bears S. 7 lbs.
71.28	To line B. Oak 30 ins. dia
80.00	Set post S. E. cor. of T. 2. S. R. 1. E. & N. E. corner of T. 3. S. R. 1. E. & N. W. corner of T. 3. S. R. 2. E. & N. W. corner of T. 2. S. R. 2. E. & S. W. corner of T. 2. S. R. 2. E. from which a Poplar 12 ins. dia. bears S $40^{\circ}$ E 39 lbs. & a B. Oak 10 ins. dia bears N $42^{\circ}$ W 47 lbs. Level Land thin soil Oak Timber
North	Aug. 18. 1805. Began T. 2. S. R. 1. E. at cor. of Sec. 31 & 32 on line & run North
16.50	Between Sect. No. 31 & 32 in a Run
16.50	The run bears N of W.
27.15	Up a steep hill to ledge of Rock
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 20 ins. dia bears S $40^{\circ}$ E 26 lbs. & a Maple 18 ins. dia. bears N $20^{\circ}$ W 34 lbs.
62.50	To run 50 lbs. wide course N. E.
67.70	To line Poplar 30 ins. dia
80.00	Set post cor. of Sect 29. 30. 31 & 32 from which



# 35

## Y. D. S. R. 1.E. of Mus. Ind.

	<p>a Sugar tree 20 ins. dia. bears S 15 E 24 lbs. &amp; a Maple . 20 ins. dia bears N 20 E 22 lbs. rough steep hills Timber Oak &amp; Poplar, A. G. Hazel Brush &amp; Green brier</p>
West	Between Sect. No. 31 & 30 Y. D. S. R. 1.E
23.26	To Line W. Oak 30 ins. dia
40.00	To a Beech 8 ins. dia serves for 1/4 Sec. post
80.20	To R. line. Set post 1. 30 lbs. S. of Mr. Buckingham's cor. of Sect. 30 & 31 from which a W. Oak 25 ins. dia bears S 45 W 45 lbs. & a Beech 10 ins. dia. bears N 44 E 15 lbs. The last mile is very rough steep hills. Oak Similar, different kinds of Brush & Priors
North	Between Sect. No. 32 & 33. Y. D. S. R. 1.E
25.21	To a W. Oak 20 ins. dia
40.00	Set 1/4 Sec. post from which a Beech 12 ins. dia. bears N 70 E 21 lbs & a Sugar tree 20 ins. dia. bears S 11 W 31 lbs.
67.00	To Line B. Oak 40 ins. dia
72.60	To " Poplar 30 " "
80.07	Set post cor. of Sect. 28. 29. 30 & 33 Y. D. S. R. 1.E from which a Poplar 30 ins. dia. bears S 45 E 47 lbs & a Beech 15 ins. dia. bears E. 26 lbs. Low hills middling soil Timber. Oak Poplar Hickory Beech & Gum
North	Between Sect. 33 & 34. Y. D. S. R. 1.E up a moderate hill
26.00	To Line W. Oak 15 ins. dia. on a flat hill
40.00	Set 1/4 Sec. post from which a W. Oak 8 ins. dia. bears N 45 E 22 lbs. & a Beech 12 ins. dia. bears S 25 W 26 lbs.
63.00	To line Sugar tree 8 ins. dia
80.00	Set post cor. of Sect. 27. 28. 33 & 34 from which a W. Oak 30 ins. dia. bears. S. 18 lbs. & a W. Oak 15 ins. dia. N 45 W. 24 lbs. The last described mile is over thin soil & level. W. Oak Timber

# J. D. I. R. 1. E. of Mer. Ind.

North	Between Sec? No. 34 & 35. J. D. I. R. 1. E
00.50	To Run 10 hrs. wide course N.
40.00	Set 1/4 Sec. post from which a Hick 15 ins. dia bears S 44 W 25 lbs. & a Buck 18 ins. dia bears N 55 E 26 lbs
55.50	To line N. Oak 15 ins. dia
80.00	Set post cor. of Sec? 26. 27. 34 & 35 from which a Buck 18 ins. dia bears S 50 W 49 lbs. & a Dogwood 6 ins. dia. bears N 85 E 27 lbs. Good upland. Oak Timber.

North	From S.E. cor. of J. D. I. R. 1 E. E. side of Sec. No. 36
8.30	To line N. Oak 15 ins. dia
18.50	To " Poplar 18 " "
40.00	Set 1/4 Sec. post from which a Sassafras 9 ins. dia bears S 40 E 30 lbs & a N. Oak 36 ins. dia. bears N 80 W 29 lbs
57.50	To Run 5 hrs. over course E
80.00	Set post to S.E. cor. of Sec. No. 36 & S.E. cor. of Sec. 25 in J. D. R. 1. E from which a Maple 9 ins. dia. bears S 45 W 28 lbs. & a N. Oak 36 ins. dia. bears N 78 E 66 lbs. Level land, poor Soil Oak Timber no water

North	Between Sec? 35 & 36. J. D. I. R. 1. E
14.79	To Line Gum 10 ins. dia
16.00	To Run course S 70 E 10 hrs. wide
24.55	To line N. Oak 10 ins. dia
40.00	Set 1/4 Sec. post from which a N. Oak 6 ins. dia bears S 45 W 16 lbs. & a N. Oak 5 ins. dia. bears N 25 E 19 lbs
42.50	To Run course S. W. 5 hrs. wide
80.00	Set post cor. of Sec? 25. 26. 35 & 36 in J. D. I. R. 1. E from which a N. Oak 15 ins. dia. bears S 65 W 12 lbs & a Gum 6 ins. dia. bears N 25 E 10 lbs. Level land thin Soil N. Oak Timber

East	Random between Sec? No. 25 & 36 over level Land no water
80.10	To Range line full 33 hrs. S. of post

# 37

## T. T. L. R. 1. E. of Mer. Ind.

West	Between Sect. No. 25 & 36 corrected & blazed the line established the 1/4 Sec.
39.95	Post at average distance. <del>from which a</del> Day's 4 ins. dia. serves for corner. from which a Mr. Oak 24 ins. dia. bears S 7/4 E 21 lbs
39.95	To corner of Sect. 25. 26. 35 & 36
West	Random line between Sect. 26 & 35
69.20	Clear level land to Run 8 lbs. wide course N.W. some water standing which is rare in this part of the Township
80.21	Set & lbs. N. of corners of Sect. No. 25. 26. 35 & 36 & 21 lbs. short of it
North	Between Sect. No. 26 & 27
12.50	To Run course N.W. 20 lbs. wide
19.00	To Edge of rocks
27.08	To line gum 15 ins. dia
40.00	Set 1/4 Sec. post from which a Mr. Oak 13 ins. dia. bears S 10 W 14 lbs & a Mr. Oak 10 ins. dia. bears S 20 E 24 lbs.
80.00	Set post cor. of Sect. No. 22. 23. 26 & 27 in T. T. L. R. 1. E. from which a Sugar tree S 45 W. 12 lbs. 7 ins. dia & a Maple 6 ins. dia. bears N 65 W 33 lbs. Rough hills. good soil, chiefly Oak & Gum
West	Between Sect. No. 27 & 34. Random line
17.07	To Run course N.E. 30 lbs. over
42.00	To " " N.E. 15 " "
80.00	Struck the corner 10 lbs. S. of post. Muddy land tolerable good soil. Oak & Gum
North	Between Sect. No. 27 & 28
15.10	To line Mr. Oak 20 ins. dia
37.50	To Run course N. 5 lbs. wide
40.00	Set 1/4 Sec. post from which a Mr. Oak 20 ins. dia bears N 10 E 12 lbs. & a Mr. Oak 6 ins. dia. bears S. 9 W 33 lbs

S. D. S. R. 1. E. of Mer. Ind.

80.00	Set post cor. of Sect. 2: 22. 27 & 28 in S. D. S. R. 1. E from which a W. Oak 20 ins. dia. bears S 60 W. 20 lbs & a W. Oak 30 ins. dia. bears N 60 E 30 lbs. Wily land thin soil. Oak Timber — no D. G.
East	Between Sect. 27 & 34 corrected & blazed the line established the $\frac{1}{4}$ sec. post 5 lbs N
40.00	Beck 7 ins. dia. bears S. 70 E. 33 & a Beck 12 ins. dia. bears N 60 W 10 lbs.
East	Between Sect. No. 26 & 35 corrected & blazed the line & established the $\frac{1}{4}$ sec. post at average distance
40.10	W. Oak 7 ins. dia. bears N 80 W 36 lbs. & a Dog 25 ins. dia. bears N 90 E 29 lbs
40.10	No corner of Sect. 25. 26. 35 & 36
North	Between Sect. No. 25 & 26
14.12	No line W. Oak 15 ins. dia.
18.15	No " B. Oak 24 " "
40.00	Set $\frac{1}{4}$ sec. post from which a Gum 15 ins. dia. bears N 75 W 16 lbs. & a Sugar-tree 8 ins. dia. N 60 E 14 lbs
46.50	No Run 12 lbs. wide course N. W
80.00	Set post cor. of Sect. 23, 24. 25 & 26 from which a Hick 20 ins. dia. bears S 65 W 17 lbs. & a W. Oak — nut S 60 E 27 lbs 10 ins. dia. First $\frac{1}{4}$ level thin soil Oak Timber
East	Random line between Sect. 24 & 25 over level land no water thin soil Oak Timber
80.21	No. Range line fell 32 lbs. S. of cor. of Sect. 24 & 25
West	On true line between Sect. 24 & 25, corrected & blazed the line & established the $\frac{1}{4}$ sec. post at average distance
40.10	Dogwood 4 ins. dia. bears N. 2 lbs. & a W. Oak 13 ins. dia. bears S 10 W 13 lbs.



39

T. J. S. R. I. E. of Mor. Ind.

North	Between Sect. 23 & 24
4.62	To line Sugar tree 10 ins. dia
15.00	To Run 90 lbs. over course W.
40.00	Set the Sect. post from which a Beech 15 ins. dia bears S 73 E 20 lbs. & a Beech 9 ins. dia. bears S 25 W 30 lbs.
50.00	To Run 10 lbs. wide course N. W.
80.00	Set post cor. of Sect. 13, 14, 23 & 24 from which a Beech 15 ins. dia. bears S 70 E 22 lbs. & a B. Oak 30 ins dia. bears S 70 W 20 lbs. poor Rough hills Oak Timber

East	Random line between Sect. No. 13 & 24
9.00	To Run course S. W. 10 lbs. over
13.50	To " " S. W. 5 " "
79.67	Struck the post corner of Sect. No. 13 & 24 on East Random line, then soil Oak Timber, no W. G.

West	Between Sect. No. 13 & 24 blaze a line & established the
39.83	the Sect. post at equal distances from which a B. Oak 36 ins. dia. bears N 45 E 28 lbs. & a Dogwood 3 ins. dia. bears S 40 W 9 lbs

North	Between Sect. No. 13 & 14
10.00	To small Run course East
40.00	Set the Sect. post from which a B. Oak 40 ins. dia. bears W. 20 lbs & a Gum S 70 E 30 lbs. 9 ins. dia
64.60	To Run course N. W. 10 lbs. wide
70.30	To line (B. Oak) 10 ins. dia
70.60	To " " " 9 " "
80.00	To B. Oak 24 ins. dia. cor. of Sect 12, 11, 13 & 14. T. J. S. R. I. E. from which a B. Oak 20 ins. dia bears S 30 W. 28 lbs. then soil Oak Timber

East	Random line E. between Sect. No. 23 & 26
34.0	To small stream course N. Hills rough
36.40	To small run, course N. deep gully very thinly timbered with Oak



## V. D. S. R. 1. E. of Mer. Ind.

66.00	To run course S. small
81.00	Full 1 ch. short. of the corner -
West	Between Sect 23 & 26 blazed the line & established the $\frac{1}{4}$ Sec. post at equal distance from which a Dogwood 3 ins. dia. corner, from which
40.50	W. Ash 9 ins. dia. bears N. 11 Wks
40.50	To cor. of Sect. 22, 23, 26 & 27
North	Between Sect. No. 22 & 23
19.20	To small run course W.
35.40	To line Gum 15 ins. dia
39.00	To run course S. W. 7 Wks. wide
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 9 ins. dia. bears N 60 E 11 Wks. & a W. Oak 17 ins. dia. bears S 45 W 8 Wks.
43.90	To line W. Oak 15 ins. dia
50.60	To run course S. W. 10 Wks. wide
80.00	Set post cor. of Sect. 14, 15, 22 & 23 from which a W. Oak 38 ins. dia. bears N 80 W 25 Wks. & a W. Oak 7 ins. dia. bears S 50 E 29 Wks. Good upland, Timber Oak Ash Hickory & Gum
East	Random line between Sect. No. 14 & 23
37.50	To small Run course S. E
39.00	To small " " S.
39.50	To " " " S. E
79.90	To N & S line full 20 Wks. N. of corner of Sect. No. 13, 14, 23 & 24 Thin Soil Oak Timber. no W. G.
West	Between Sect. No. 14 & 23 corrected & blazed the true line & established the $\frac{1}{4}$ Sec. post at the average distance from which a Gum 15 ins. dia bears N 60 E 25 Wks. & a Sugar tree 7 ins. dia. bears S 70 E 13 Wks.
39.95	
North	Between Sect. No. 14 & 15
35.50	To small water course S. E

## T. D. S. R. S. E. of Mer. Ind.

38.00	To line B. Oak 12 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which an Ironwood 5 ins. dia bears N 80 W 21 lks $\frac{1}{4}$ Dog? 6 ins. dia bears S 80 E 20 lks.
41.50	To Run course S. E. small
63.10	To " " S. W. "
80.00	Set post cor. of Sec? 10, 11, 14 & 15 from which a Sugar tree 10 ins. dia. bears N 65 E 15 lks $\frac{1}{4}$ Sugar tree bears S 70 W 17 lks. 3 ins. dia. Good upland. Oak Timber - Open woods.
East	Random between Sect No. 11 & 14
80.00	Level land, no water, thin soil, Oak Timber - open woods fell 70 lks. N. of cor. of Sect No. 11, 12, 13 & 14 Measure came out right
East	Random line between Sect No. 12 & 13.
30.00	To small run course W
40.00	To gully very steep
50.00	To small run course W
57.00	To Spring run course N. W 4 lks over
65.00	To small run " S. W
80.10	Struck 50 lks. N. of post
West	corrected & blazed the true line, established the $\frac{1}{4}$ sec. post from which a Gum 4 ins. dia. from which a Hickory 18 ins. dia. bears S 30 W 24 lks. Good land. Timber Hickory. Sugar Oak & Beech
North	Between Sect No. 11 & 12
1.40	To line W. Oak 12 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 20 ins. dia. bears S 55 W 23 lks. $\frac{1}{4}$ Beech 13 ins. dia. bears N 50 E 18 lks.
41.55	To Run 15 lks. wide course S. E.
47.00	To line Hickory 9 ins. dia
47.40	To " W. Oak 15 " "
52.00	To run 5 lks. wide course East

# J. D. L. R. 1. E. of Mer. Ind.

69.20	To Run 7 lks. wide course East
80.00	Set post cor. of Sect. No. 1. 2. 11 & 12 from which a Beck 13 ins. dia. bears N 88 W 33 lks. & a Hick 7 bears N 63 E 23 lks. 9 ins. dia. Rough hilly land, open timbered with Oak.
East	Random between Sect. No. 1 & 12. over level land
80.00	no water tolerable good soil Timber Oak Hickory Gum & Sugar tree, no R. G. full 10 lks. S. of corner of Sect. No. 1 & 12 on East Range line
West	Blazed the true line between Sect. No. 1 & 12 &
40.00	Set the 1/4 Sec. post from which a Gum 15 ins. dia bears N 40 W 60 lks. & a B Oak 12 ins. dia. bears S 60 E 70 lks.
West	Between Sect. No. 11 & 14. corrected & blazed the
40.00	line & established the 1/4 Sec. post. from which a W. Oak 10 ins. dia. bears N 60 E 12 lks. & a W. Oak 10 ins. dia. bears S 70 W 35 lks
West	Between Sect. No. 22 & 27
15.50	To Run course S. W. small
37.00	To " " N. W. "
78.75	Sell 40 lks. S. of cor. Oak land
	Corrected & blazed true line
39.95	Set the 1/4 Sec. post between Sect. No. 22 & 27. from which a Sugar tree 6 ins. dia. bears S 20 W. 20 lks. & an Oak 6 ins. dia. bears N 20 E 21 lks. Poor hills. Oak Timber.
	Between Sect. No. 28 & 33 random line
13.00	To small run course N. W. over rough hills
79.50	Struck the cor. 33 lks. S. Timber Oak & Beck
	Corrected & blazed the true line
39.75	Set 1/4 sec. post from a Dogwood 5 ins. dia. bears N 70

# 43

## T. I. L. R. A. E. of Mer. Ind.

	26 lbs. & a Buck 4 ins. dia. bears N & 24 lbs. between Sec? No. 28 & 33. Thin Oak land
North	Between Sec? No. 28 & 29
28.00	To small run course N. E.
31.50	To a Sugar tree 15 ins. dia. in line
35.60	To Run 10 lbs. wide course N. W.
40.00	Set 1/4 sec. post from which a Sugar tree 5 ins. dia. bears S 30. E. & a W. Oak 1 1/2 ins. dia. bears N 80 W 28 lbs.
59.00	To Run 50 lbs. over course N. W.
80.00	Set post cor. of Sec? No. 20. 21. 28 & 29 from which a B. Oak 15 ins. dia. bears N 70 E 13 lbs. & a W. Oak 1 1/2 ins. dia. bears N 25 W 28 lbs. Rough hills, from rocky Sand Oak Timber, different kinds of brush & Pines
	Random line between Sec? No. 29 & 32
57.00	To run small course S. E.
68.15	To Run 20 lbs. over course N. W.
80.75	To cor. fell 1. ch. N. Rough hills very brushy Oak Timber
North	Between Sec? No. 29 & 30
11.50	To line B. Oak 10 ins. dia
25.00	To small Run course N. E.
40.00	Set 1/4 sec. post from which a B. Oak 5 ins. dia. bears N 20 W. 10 lbs. & a Sugar tree 12 ins. dia. bears S 30 E 20 lbs.
59.50	To small run course N. W.
80.00	Set post cor. of Sec? 19. 20. 29 & 30. from which a W. Oak 12 ins. dia. bears N 45 W. 14 lbs. & a Sugar tree 10 ins. dia. bears N 45 E 20 lbs. Rough hills Oak Timber very brushy.
West	Between Sec? No. 19 & 30
40.00	Set 1/4 sec. post from which a Hickory 20 ins. dia. bears N 87 E 26 lbs & a Hick? 30 ins. dia. bears N 40 W. 9 lbs.
79.57	To Range line fell 430 lbs. Short of Mr. Buckinghams

## T. J. S. R. L. Co. of Mer. Ind.

	corner. Set post at corner of Sect No. 19 & 30. from which a Hickory 24 ins. dia. bears N 8 E 8 Mrs. & W. Oak bears S 30 W 42 Mrs. 9 ins. dia. Rough from & brushy hills Oak Timber
North	Between Sect. No. 19 & 20.
00.00	To line W. Oak 24 ins. dia.
32.20	To Run small course E.
40.00	Set 1/2 Sec. post from which a Sugar-tree 13 ins. dia. bears S 80 E 6 Mrs. & a Sugar 7 ins. dia. bears N 20 W 16 Mrs
80.00	Set post cor. of Sect. No. 17. 18. 19 & 20 from which a W. Oak 9 ins. dia. bears N 20 W 26 Mrs. & a Beech 15 ins. dia. bears S 40 E 37 Mrs. very good hill land. Timber Poplar Oak Sugar tree & gum. Spruce W. G.
	Corrected the line between Sect. 29 & 30
40.37	Set 1/2 Sec. post from which a W. Oak 5 ins. dia. bears N 30 W 7 Mrs. & a Sugar-tree 4 ins. dia. bears S 20 E 10 Mrs.
East	Random line between Sect. No. 20 & 29.
36.00	To Run small St.
43.50	To " 10 Mrs. wide course N
80.08	To cor. of Sect. 20. 21. 28. & 29 struck the post Rough hill Oak Timber brushy.
East	Random between Sect. No. 21 & 28
29.50	To Run 20 Mrs. wide course Over barren hills Brushy.
80.10	Struck 10 Mrs. S. of cor. of Sect. 21. 22. 27 & 28
West	Corrected 1/4 Sec. post between Sect. No. 20 & 29
40.04	To Poplar 5 ins. dia. serves for corner from which a W. Oak 12 ins. dia. bears S 45 W 50 Mrs. Blazed the line between Sect. 20 & 29
West	Corrected & Blazed the line between Sect. 21 & 28



G. I. S. R. I. Co. of Mer. Ind.

45

40.05 Set  $\frac{1}{4}$  Sec. post 5 lks. S. from which a W. Oak 18 ins. dia bears S20W 21 lks. & a W. Oak 8 ins. dia bears N10W 24 lks. Barren brushy hills very little timber some Oak on the W. end

North Between Sect. No. 21 & 22

21.50 To run 10 lks. wide course W.

37.56 To Poplar 12 ins. dia. in line

40.00 Set  $\frac{1}{4}$  Sec. post from which a W. Oak 13 ins. dia. bears N20E 20 lks. & a W. Oak 12 ins. dia. bears N15E 20 lks.

47.50 To small stream course W.

77.00 To " " " "

80.00 Set post cor. of Sect. No. 15, 16, 21 & 22 from which a Sugar tree 12 ins. dia. bears N10E 20 lks. & a Sugar tree 10 ins. dia. bears N45W 28 lks. Good hill land. Timber Oak Poplar & Sugar tree

North Between Sect. 20 & 21

20.00 To W. Oak 10 ins. dia in the line

40.00 Set  $\frac{1}{4}$  Sec. post from which a W. Oak 13 ins. dia. bears S20E 27 lks. & a Beech 15 ins. dia bears N40W 17 lks.

58.12 To line Poplar 40 ins. dia

75.10 To " " 12 " "

80.00 Set post cor. of Sect. No. 16, 17, 20 & 21 from which a Sugar tree 9 ins. dia. S16E 30 lks. & a Beech 5 ins. dia bears N30W 6 lks. Handsome hill land. Oak Poplar & Sugar tree Timber. no W. G.

Random line between Sect. No. 17 & 20

3.00 To Run 10 lks. wide course N.W.

44.00 To small run " S

80.70 To cor. fell 20 lks N. of post then soil Oak Timber no W. G. hill land

West Between Sect. No. 18 & 19

40.00 Set  $\frac{1}{4}$  Sec. post from which a Beech 10 ins. dia bears

# G. D. L. R. 1. E. of Mer. Ind.

60.79	N 45 E 8 lks. Va Buck 20 ins. dia. bears S 60 W 18 lks No creek 30 lks. over course S.
79.00	To W. R. line fell 5.70 lks. S. of post set by Mr Buckingham set post at corner of Sect No 18 & 19 from which a Sugar tree 12 ins. dia bears N 5 E 24 lks. Va Sugar tree 5 ins. dia. bears S 5 E 5 lks. Good land Timber Oak Buck & Sugar tree. Upland
North	Between Sect. No. 17 & 18
3.00	To run 15 lks. wide course N. W.
28.00	To Run small " W.
36.00	To " 15 lks. wide course S. W.
40.00	Set 1/4 Sec. post from which a Buck 12 ins. dia bears N 10 E 18 lks. Va Elm 10 ins. dia bears S 30 W 21 lks.
63.00	To Brow of barren hill
80.00	Maple 16 ins. dia bears S 10 W. 16 lks Va Buck 17 ins. dia. bears N 5 E 16 lks. Very rough hills & brushy Oak Timber
West	Between Sect 17 & 20. Blazed the true line & established the 1/4 Sec. post
40.35	The average distance from which a Sugar tree 5 ins. dia. bears N. 5 lks. Va Sugar tree 6 ins. dia bears S 70 W 15 lks
East	Random line between Sections No. 16 & 21 Over handsome hill land no water
80.07	To cor. of Sect. No. 15. 16. 21 & 22 struck 8 lks. N. of Post
North	Between Sect. No. 15 & 16
6.16	To run small course W.
17.00	To " " " "
20.00	To small stream
37.50	To run 10 lks. wide course W.
40.00	Set 1/4 Sec. post from which a Buck 30 ins. dia

## N. D. S. R. I. Eng Mer. Ind.

	bears. N 17 E 9 lbs. & as Buck 24 ins. dia. bears S 10 W 10 lbs.
53.50	No Run 10 lbs. wide course W.
80.00	Set post cor. of Sect. No. 9. 10. 15 & 16 from which a Gum 12 ins. dia. bears N 30 E 20 lbs. & as Sassafras 5 ins. dia. bears S 13 W 6 lbs. (Hilly land tolerably good). Timber Oak Gum Birch & Poplar
East	Random line between Sect. No. 15 & 22
79.80	Over poor hills no water Oak. fell 30 lbs. S. of Post
West	Between Sect. No. 15 & 22 blazed the true line & established the 1/4 Sec. post from which a B. Oak 7 ins. dia. bears N 75 W. 50 lbs. & as W. Oak 10 ins. dia. bears S 40 E 40 lbs.
West	Between Sect. No. 16 & 21. blazed the true line & established the 1/4 Sec. post from which a W. Oak 24 ins. dia. bears S 60 E 12 lbs. & as Sugar tree 10 ins. dia. bears N 10 W 28 lbs. Timber Oak Ash Sugar tree & Buck. hilly land
North	Between Sect. No. 16 & 17
19.30	No run small course N. E
40.00	Set 1/4 Sec. post in run bottom from which a Buck 4 ins. dia. bears N 60 W 20 lbs. & as W. Oak 18 ins. dia. bears N 70 E 13 lbs.
45.00	No Run 15 lbs. wide course W
50.00	No line B. Oak 10 ins. dia. in line
80.00	Set post cor. of Sect. No. 8. 9. 16 & 17 from which a Gum 8 ins. dia. bears S 45 W 15 lbs. & as W. Oak 24 ins. dia. bears E. 7 lbs. Thin soil hilly & rocky Timber Oak Buck & Gum
	Random line between Sect. No. 8 & 17
2.30	No Run small course S. over Broken hills

# G. D. L. R. 1. E. of Mer. Ind.

covered with 1 Bush & monstrous Briss  
 40.00 No Timber - no bearing trees at the Sec. post fell 10  
 lbs. S. of corner

80.00 Measure came out right  
 moved the 1/2 Sec. post 5 lbs. North

West Between Sec. No. 7 & 18

No Timber of any account monstrous brushy  
 & filled in with Briss no bearing trees at the Sec.  
 corner - which is a Gum 15 ins. dia marked & c  
 79.50 fell 520 lbs. S. of Mr. Buckingham's corner  
 set post cor. of Sec. No. 7 & 18 from which a B. Oak 8  
 ins. dia bears S 10 E 70 lbs. & a Gum 5 ins. dia. bears  
 N 70 W 50 lbs. very rough hills. Oak Timber

West Between Sec. 8 & 17

Travelled on the line & established the 1/2 Sec. cor. no trees

North Between Sec. No. 7 & 8

27.00 No line Gum 18 ins. dia  
 40.00 Set 1/2 Sec. post from which a W. Walnut 36 ins.  
 dia. bears S 30 E 39 lbs. & a Dogwood 5 ins. dia  
 bears S 10 W 6 lbs.

44.30 No run. Small course S. W.

80.00 Set post cor. of Sec. No. 5 & 6. 7 & 8 from which a  
 Hick 15 ins. dia bears N 33 W. 19 lbs. & a  
 Sugar tree 8 ins. dia bears S 63 E 16 lbs. Broken  
 land good Soil ash Poplar Hick. & Sugar  
 tree Timber

East Between Sec. No. 9 & 16

37.00 No Run 20 lbs. over course S.

60.00 To " 10 " " " S

80.00 No corner. fell 80 lbs. N. Land broken Timber  
 Buck Oak & Poplar



# J. D. L. R. I. E. of Mr. Ind.

49

West	Corrected back & blazed the true line 4 <sup>th</sup> 1/2 Sec. 40.00 post from which a Buck 12 ins. dia. bears N 70 E 22 lbs. & a Buck 10 ins. dia. bears S 12 E. 17 lbs
North	Between Sec? No. 8 & 9 4.12 To a B. Oak 6 ins. dia. in line 40.00 Set the 1/2 Sec. post from which a Gum 15 ins. dia. bears S. 8 lbs. & a Sugar tree 6 ins. dia. bears N 50 E 1 lbs 44.80 To line Buck 18 ins. dia 80.00 Set post cor. of Sec? No. 4 5.8 & 9 from which a Dogwood 5 ins. dia. bears S 32 W 14 lbs. & a Sugar tree 6 ins. dia. bears N 33 W. 9 lbs. Good land, hilly. Timber Sugar tree Ash Oak & Buck
East	Random line between Sec? No 5 & 8 28.00 To small run course S. 58.00 To run 8 lbs. wide course S. 79.60 Tell 20 lbs. N. of corner. corrected back & blazed 39.80 the true line. & set the 1/2 Sec. post from which a Gum 15 ins. dia. bears S 30 W 5 lbs. & a Gum 14 ins. dia. bears S 75 E 13 lbs. Hilly land thin Soil Oak Timber
West	Between Sec? No. 6 & 7 17.50 To creek 40 lbs. over course S 50 W 25.00 To Run 10 " " " S 40.00 Set 1/2 Sec. post from which a Hickory 10 ins. dia. bears S 60 E 48 lbs. & a Poplar 24 ins. dia. bears N 65 W 63 lbs 71.00 To Run 12 lbs. wide course S. 78.95 Intersected R. line 9.80 lbs. S. of Mr. Buckingham's corner. Set post cor. of Sec? No. 6 & 7, from which a Buck 12 ins. dia. bears S 62 E 15 lbs & a Poplar 30 ins. dia. bears S 37 E. 16 lbs. Rough hill good Soil. Oak Buck & Poplar Timber
East	Random line between Sec? No. 10 & 15

compd

to 11



# J. D. S. R. S. E. of Mer. Ind.

32.50	Go Run 8 lks. over course S.
80.10	Over moderate hills & good soil fell 40 lks. S. of corner. Timber Oak & Hickory
North	Between Sect. No. 10 & 11
7.20	Go line W. Oak 18 ins. dia
29.50	Go Run small course W.
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 8 ins. dia. bears S 70 W 18 lks. & a Dogwood 5 ins. dia. bears N 72 E 17 lks
41.20	Go line Beech 24 ins. dia
54.00	Go line W. Oak 19 " "
80.00	Set post cor. of Sect. 2, 3, 10 & 11 from which a Beech 15 ins. dia. bears N 10 W 17 lks. & a W. Oak 24 ins. dia bears S 55 W 23 lks. Land of a middling quality - Timber Oak Beech & Sugar tree
East	Random line between Sect. No. 2 & 11
16.00	Go a Spring runs South
65.00	Go a Run 7 lks. over course S.
74.00	Go a Spring runs S.
79.65	Go N. line fell 40 lks. S. of post. thin Soil Oak & Beech Timber
North	Between Sect. No. 1 & 2
6.17	Go line Beech 30 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a B. Oak bears E 10 lks. 10 ins. dia & a Beech 30 ins. dia bears N 80 W 13 lks
52.40	Go Run 22 lks. over course S. E.
80.00	Set Temporary post. Good upland. Beech Poplar Gum & cherry tree. see S. line for post
West	Between Sect. No. 2 & 11 blazed the true line.
39.83	Set $\frac{1}{4}$ Sec. post from which a Dogwood 8 ins. dia. bears S 20 E 11 lks. & a Beech 12 ins. dia. bears N 21 E 30 lks
West	Between Sect. No. 10 & 15. blazed the true line

# G. D. S. R. 1. E. of Mer. Ind.

40.00	Moved the 1/4 Sec. post 20 lbs. N. from which a Buck 2 1/2 ins. dia. bears N 75 E 35 lbs. & a W. Oak 25 ins. dia. bears S 50 W 32 lbs.
North	Between Sec. No. 9 & 10
19.40	To line Buck 16 ins. dia
40.00	Set the Sec. post from which a Buck 10 ins. dia. bears N 72 W 19 lbs. & a Sugar-tree 1 3/4 ins. dia. bears N 4 E 38 lbs.
80.00	Set post cor. of Sec. No. 3, 4, 9 & 10 from which a Gum 5 ins. dia. bears N 52 E 8 lbs. & a P. Oak 18 ins. dia. bears S 62 W. 42 lbs. Good upland, Buck Poplar & Oak Timber
East	Random line between Sec. No. 3 & 10. Over good upland Buck Poplar & Oak Timber
19.70	To N. line fell 1 ch. N. of Post
West	Corrected & blazed the true line
39.85	Set the Sec. post from which a W. Oak 10 ins. dia. bears N 42 E 19 lbs. & a Sassafras 5 ins. dia. bears S 62 W 19 lbs.
West	Between Sec. No. 3 & in D. 1 & Sec. 1. in G. D. S. R. 1. E.
80.00	Over good upland Buck Poplar & Sugar tree Timber
West	Continued the Random G. line between Sec. No. 2 & 35
16.42	To Run 20 lbs. wide course S.
80.00	Over broken land good soil Buck Poplar & Sugar Timber
West	Between Sec. No. 3 & 34
5.50	To Run 10 lbs. wide course N.
	Over broken land good soil. Buck Poplar & Sugar tree Timber
West	Between Sec. No. 4 & 33
45.20	To Run 8 lbs. over course N.
80.00	Over good land Timber Buck Poplar & Sugar tree
West	Between Sec. No. 5 & 32

## S. I. S. R. S. E. of Mer. Ind.

15.12	To Run 8 lks over course S.
42.83	To Run 20 " " " S 20 W
80.11	Rough hills good Soil Buck & Poplar Timber
North	Between Sect. No. 2 & 3.
14.15	To line B. Oak 12 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a Buck 8 ins. dia. bears N 44 W 10 lks. & a Buck 10 ins. dia. bears S 35 E 18 lks
81.63	To line fell 4 2 lks. E. of temporary post established the cor. of Sect. No. 2 & 3 from which a Gum 18 ins. dia. bears N 44 W 9 lks. & a Buck 6 ins. dia. bears S 36 E 11 lks. First $\frac{1}{2}$ good land then 20 cks. of thicket. Timber Buck & Poplar, M. G. Pines & different kinds of brush
North	Between Sect. No. 3 & 4
15.50	To line Gum 10 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a M. Oak 18 ins. dia. bears N 61 W 32 lks. & a Buck 17 ins. dia. bears S 15 E 24 lks.
80.73	To Down line fell 30 lks. E. of post. Set post cor. of Sect. No. 3 & 4 from which a Buck 15 ins. dia. bears N 70 W 29 lks. & a Buck 5 ins. dia. bears S 57 E 18 lks. Good upland, level, Buck Gum Poplar & Oak Timber
†	See opposite page
East	Random between Sect. No. 4 & 9, blazed the true line
39.75	Set $\frac{1}{4}$ Sec. post from which a Buck 5 ins. dia. bears S 24 W 1 lks. & a B. Oak 24 ins. dia. bears N 35 W 11 lks
North	Between Sect. No. 4 & 5
20.50	To line Buck 12 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a Gum 12 ins. dia. bears N 48 W 22 lks. & a Buck 22 ins. dia. bears S 56 E 83 lks
51.00	To small run course S. E
81.00	To Downship line fell 20 lks. E. of temporary post. Set post cor. of Sect. No. 4 & 5. from which a Buck

53

T. D. S. R. 1. E. of Mer. Ind.

5 ins. dia bears N 10 E 3 3 lbs. 4 a Buck 8 ins. dia.  
bears N 60 W 3 5 lbs. Good hill land Timber Beech  
Poplar Oak & Gum

North Between Sec. No. 5 & 6  
9.56 To line W. Ash 2 4 ins. dia  
10.20 To small run course W.  
40.00 Set 7 1/2 Sec. post from which a Buck 10 ins. dia. bears  
N 10 W 16 lbs 4 a Buck 12 ins. dia. bears S 72 E 15 lbs  
79.50 To Run 25 lbs. wide course W.  
80.79 To N. line set post cor. of Sec. No. 5 & 6 from which a  
Buck 6 ins. dia. bears S 65 W 12 lbs. 4 a Buck 18 ins. dia  
bears N 46 W 18 lbs. Good hill land Timber Beech  
Poplar & Oak Open woods.

Surveyed by Silas Bent. D. S.

\* West Between Sec. No. 4 & 9  
Blazed the true line  
39.75 Set the 7 1/2 Sec. post from which a Buck 5 ins. dia.  
bears S 24 W 1 lbs 4 a Black Oak 2 4 ins. dia  
bears N 35 W 11 lbs —

I certify that the foregoing Transcript  
of the Field Notes of Township No. 2 South  
Range 1 East of the 2<sup>d</sup> Mer. has been  
compared with the original in this office  
and found to be correct.

Surveyor General's Office  
Cincinnati, Feb. 10. 1841.

O. P. Cairnes  
Deputy